Jetstream®

PERFORMANCE ENGINEERED

DCP DuraSafe™ CONTROL GUN

DCP-15 and DCP-20; Dump Style, Hand Held, Pistol Grip
15,000 and 20,000 psi



U.S. Patent: 4,602,740
Other Patents Pending

FEATURES

The DCP DuraSafe™ Control Gun is a high pressure, pistol grip control gun used for a variety of waterblast surface cleaning applications.

The DuraSafe™ design is the latest product upgrade on the popular Jetstream C-Series cartridge style control gun line that has been in production since 1982. Built on the C-Series design that has become the industry standard, the DuraSafe™ line incorporates new, advanced features that insure increased safety, durability, versatility and simplicity.

- **Safest Gun In The Industry!** 48" front barrel and 20" rear barrel keep high pressure water and high pressure hose away from operator's body at all times.
- **Lightest C-Series Gun Ever!** The DuraSafe™ weighs only 12 pounds — resulting in less operator fatigue and greater control.
- **Lightest Trigger Force In The Industry** — trigger force never increases (stays constant throughout the life of the gun).
- **Fully Adjustable, Wide Body Pad** allows for maximum operator comfort in any position (shoulder, hip, chest, etc.) and fully adjustable hand grip for greater control and ease of use.
- **30 Second, In-The-Field Overhaul.** Simple cartridge design means fewer parts, less downtime and like-new gun working condition with every repair.
- **Stainless Steel Construction.** Rated for 15,000 psi and 20,000 psi.

SPECIFICATIONS

ASSEMBLY PART NO.	INLET THREAD	OUTLET THREAD	CARTRIDGE PART NO.	MAXIMUM OPERATING PRESSURE (PSI)	ASSEMBLY WEIGHT	ASSEMBLY SIZE (LxWxH)
53300	1/2" NPTM	3/8" NPTM	50902	15,000	12 lbs	70" x 1-1/2" x 10"
53305	1.00"-16 UN	9/16" MP AE	51869	20,000	12 lbs	70" x 1-1/2" x 10"

Jetstream®
P.O. Box 79228, Houston, TX 77279
(800) 231-8192 (713) 462-7000
Fax: (713) 462-5387


© 1998, Jetstream of Houston, Inc.

DCP DuraSafe™ CONTROL GUN

DCP-15 and DCP-20; Dump Style, Hand Held, Pistol Grip
15,000 and 20,000 psi

JETSTREAM'S DuraSafe™ CONTROL GUNS

TOUGHER AND MORE DURABLE




DURASAFE'S SAFETY DESIGN KEEPS THE DANGEROUS HIGH PRESSURE HOSE AWAY FROM THE OPERATOR'S BODY AT ALL TIMES!

SAFETY NOTE

DO NOT allow your operators to use the high pressure hose as a shoulder stock when operating a waterblast control gun. This dangerous practice can cause serious or fatal operator injury if the desired hose bursts while up against his chest or abdomen. The ergonomically designed DuraSafe™ body pad allows the operator safety, fatigue-free and productive use of the gun without risk of high pressure hose injuries.





DuraSafe's rear barrel keeps the hose safely **behind** the operator at all times!



BODY PAD ON CHEST



BODY PAD ON HIP



BODY PAD ON SHOULDER

Jetstream®
P.O. Box 79228, Houston, TX 77279
(800) 231-8192 (713) 462-7000
Fax: (713) 462-5387

© 1998, Jetstream of Houston, Inc.

Jetstream®

PERFORMANCE ENGINEERED

DCPe DuraSafe™ CONTROL GUN

DCPe-15 and DCPe-20; Dump Style, Hand Held, Pistol Grip, Electric 15,000 and 20,000 psi



U.S. Patent: 4,602,740
Other Patents Pending

FEATURES

The DCP DuraSafe™ Control Gun is a high pressure, electric pistol grip control gun used for a variety of waterblast surface cleaning applications.

The DuraSafe™ design is the latest product upgrade on the popular Jetstream C-Series cartridge style control gun line that has been in production since 1982. Built on the C-Series design that has become the industry standard, the DuraSafe™ line incorporates new, advanced features that insure increased safety, durability, versatility and simplicity.

- **Safest Gun In The Industry!** 48" front barrel and 20" rear barrel keep high pressure water and high pressure hose away from operator's body at all times.
- **Lightest C-Series Gun Ever!** The DuraSafe™ weighs only 12 pounds — resulting in less operator fatigue and greater control.
- **Lightest Trigger Force In The Industry** — trigger force never increases (stays constant throughout the life of the gun).
- **Fully Adjustable, Wide Body Pad** allows for maximum operator comfort in any position (shoulder, hip, chest, etc.) and fully adjustable hand grip for greater control and ease of use.
- **30 Second, In-The-Field Overhaul.** Simple cartridge design means fewer parts, less downtime and like-new gun working condition with every repair.
- **Stainless Steel Construction.** Rated for 15,000 psi and 20,000 psi.

SPECIFICATIONS

ASSEMBLY PART NO.	INLET THREAD	OUTLET THREAD	CARTRIDGE PART NO.	MAXIMUM OPERATING PRESSURE (PSI)	ASSEMBLY WEIGHT	ASSEMBLY SIZE (LxWxH)
53365	1/2" NPTM	3/8" NPTM	50902	15,000	12 lbs	70" x 1-1/2" x 10"
53370	1.00"-16 UN	9/16" MP AE	51869	20,000	12 lbs	70" x 1-1/2" x 10"

Jetstream®
P.O. Box 79228, Houston, TX 77279
(800) 231-8192 (713) 462-7000
Fax: (713) 462-5387


© 1998, Jetstream of Houston, Inc.

DCPe DuraSafe™ CONTROL GUN

DCPe-15 and DCPe-20; Dump Style, Hand Held, Pistol Grip, Electric 15,000 and 20,000 psi

JETSTREAM'S DuraSafe™ CONTROL GUNS

TOUGHER AND MORE DURABLE




DURASAFE'S SAFETY DESIGN KEEPS THE DANGEROUS HIGH PRESSURE HOSE AWAY FROM THE OPERATOR'S BODY AT ALL TIMES!

SAFETY NOTE

DO NOT allow your operators to use the high pressure hose as a shoulder stock when operating a waterblast control gun. This dangerous practice can cause serious or fatal operator injury if the desired hose bursts while up against his chest or abdomen. The ergonomically designed DuraSafe™ body pad allows the operator safety, fatigue-free and productive use of the gun without risk of high pressure hose injuries.





DuraSafe's rear barrel keeps the hose safely **behind** the operator at all times!



BODY PAD ON CHEST



BODY PAD ON HIP



BODY PAD ON SHOULDER

Jetstream®
P.O. Box 79228, Houston, TX 77279
(800) 231-8192 (713) 462-7000
Fax: (713) 462-5387


© 1998, Jetstream of Houston, Inc.

Jetstream®

PERFORMANCE ENGINEERED

DCPDD DuraSafe™ CONTROL GUN

DCPDD-15 and DCPDD-20; Double-Dump Style, Hand Held, Pistol Grip 15,000 and 20,000 psi



U.S. Patent: 4,602,740
Other Patents Pending

FEATURES

The DCP DuraSafe™ Control Gun is a high pressure, pistol grip control gun used for a variety of waterblast surface cleaning applications. It incorporates two separate pistol grip/triggers for increased waterblast safety. The operator has to engage **both** triggers in order for high pressure blasting to occur.

The DuraSafe™ design is the latest product upgrade on the popular Jetstream C-Series cartridge style control gun line that has been in production since 1982. Built on the C-Series design that has become the industry standard, the DuraSafe™ line incorporates new, advanced features that insure increased safety, durability, versatility and simplicity.

- **Safest Gun In The Industry!** 48" front barrel and 20" rear barrel keep high pressure water and high pressure hose away from operator's body at all times.
- **Lightest C-Series Double-Dump Gun Ever!** The DuraSafe™ weighs only 16 pounds — resulting in less operator fatigue and greater control.
- **Lightest Trigger Force In The Industry** — trigger force never increases (stays constant throughout the life of the gun).
- **Fully Adjustable, Wide Body Pad** allows for maximum operator comfort in any position (shoulder, hip, chest, etc.) and fully adjustable hand grip for greater control and ease of use.
- **30 Second, In-The-Field Overhaul.** Simple cartridge design means fewer parts, less downtime and like-new gun working condition with every repair.
- **Stainless Steel Construction.** Rated for 15,000 psi and 20,000 psi.

SPECIFICATIONS

ASSEMBLY PART NO.	INLET THREAD	OUTLET THREAD	CARTRIDGE PART NO.	MAXIMUM OPERATING PRESSURE (PSI)	ASSEMBLY WEIGHT	ASSEMBLY SIZE (LxWxH)
53225	1/2" NPTM	3/8" NPTM	50902	15,000	16 lbs	70" x 1-1/2" x 10"
53230	1.00"-16 UN	9/16" MP AE	51869	20,000	16 lbs	70" x 1-1/2" x 10"

Jetstream®
P.O. Box 79228, Houston, TX 77279
(800) 231-8192 (713) 462-7000
Fax: (713) 462-5387


© 1998, Jetstream of Houston, Inc.

DCPDD DuraSafe™ CONTROL GUN

DCPDD-15 and DCPDD-20; Double-Dump Style, Hand Held, Pistol Grip 15,000 and 20,000 psi

JETSTREAM'S DuraSafe™ CONTROL GUNS

TOUGHER AND MORE DURABLE




DURASAFE'S SAFETY DESIGN KEEPS THE DANGEROUS HIGH PRESSURE HOSE AWAY FROM THE OPERATOR'S BODY AT ALL TIMES!

SAFETY NOTE

DO NOT allow your operators to use the high pressure hose as a shoulder stock when operating a waterblast control gun. This dangerous practice can cause serious or fatal operator injury if the desired hose bursts while up against his chest or abdomen. The ergonomically designed DuraSafe™ body pad allows the operator safety, fatigue-free and productive use of the gun without risk of high pressure hose injuries.





DuraSafe's rear barrel keeps the hose safely **behind** the operator at all times!



BODY PAD ON CHEST



BODY PAD ON HIP



BODY PAD ON SHOULDER

Jetstream®
P.O. Box 79228, Houston, TX 77279
(800) 231-8192 (713) 462-7000
Fax: (713) 462-5387


© 1998, Jetstream of Houston, Inc.

DCP GUN PARTS / ACCESSORIES

DCP DuraSafe™ Series Control Guns; Standard, Electric, Double-Dump 15,000 and 20,000 psi


DCP DURASAFE™ SERIES GUN ASSEMBLIES

Order replacement DuraSafe™ parts from Jetstream by specifying the control gun model and the generic part shown in these assembly breakdowns.




DCP-15
DCP-20

* Supplied as 1 piece body assembly



DCP-15 Electric
DCP-20 Electric

* Supplied as 1 piece body assembly



DCP-15 Double Dump
DCP-20 Double Dump

* Supplied as 1 piece body assembly

Jetstream®
P.O. Box 79228, Houston, TX 77279
(800) 231-8192 (713) 462-7000
Fax: (713) 462-5387


© 1998, Jetstream of Houston, Inc.

Jetstream®

PERFORMANCE ENGINEERED

DCP GUN PARTS / ACCESSORIES

DCP DuraSafe™ Series Control Guns; Standard, Electric, Double-Dump 15,000 and 20,000 psi



ITEM	JETSTREAM PART NO.	DESCRIPTION	
1	50796	Armor Flex™ Safety shroud, 10,000 psi	Helps protect operator in the event of a hose or fitting failure at the gun. Stainless steel wire braid with heavy nylon braid cover.
	50288	Armor Flex™ Safety shroud, 15,000 psi	
	51901	Armor Flex™ Safety shroud / whip, 20,000 psi	
2	50190	Safety Shroud Adapter, 10,000 psi	Connects Safety Shroud to control gun.
	50290	Safety Shroud Adapter, 15,000 psi	
3	25581	Safety Whip Hose, 1/2" ID, 10,000 psi	6 ft. long hose tested to 1.5 x working pressure. Can be economically changed frequently for maximum operator protection. Use P/N 51901 Safety shroud / whip on DCP-20 guns.
	26447	Safety Whip Hose, 3/8" ID, 15,000 psi	
4	51402	Quick Disconnect Coupling, 1/2" NPT, 15,000 psi	Twis-Lok™ swiveling type to prevent twists and loops in hose string. Stainless Steel.
	51552	Quick disconnect Coupling, 3/8" NPT, 15,000 psi	


Jetstream®
P.O. Box 79228, Houston, TX 77279
(800) 231-8192 (713) 462-7000
Fax: (713) 462-5387

© 1998, Jetstream of Houston, Inc.

Jetstream®
PERFORMANCE ENGINEERED

DCF DuraSafe™ CONTROL GUN

DCF-15 and DCF-20; Dump Style, Foot Operated
15,000 and 20,000 psi



U.S. Patent: 4,602,740
Other Patents Pending

FEATURES

The DCF DuraSafe™ Foot Control Gun is a high pressure, foot operated control gun used for a variety of waterblast tube cleaning applications.

The DuraSafe™ design is the latest product upgrade on the popular Jetstream C-Series cartridge style control gun line that has been in production since 1982. Built on the C-Series design that has become the industry standard, the DuraSafe™ line incorporates new, advanced features that insure increased safety, durability, versatility and simplicity.

- **Safest Gun In The Industry!** Custom safety cage and thick **blast wall** protect operator better than any foot control gun in the industry.
- **Protects End Fittings & Connections!** The DuraSafe™ foot gun incorporates new, built-in 'wings' which protect high pressure hose, end fittings and other connections from damage caused by falling objects.
- **Patented No-Stick Trigger Action!** Unlike other control guns that create constant wear on the valve body (causing triggers to stick), the DuraSafe™ foot gun eliminates this problem by placing all wear components in one simple cartridge. Every time you replace the cartridge you bring the gun back up to its new working condition - which means your gun will never stick due to valve body wear.
- **30 Second, In-The-Field Overhaul.** Simple cartridge design means fewer parts, less downtime and like-new gun working condition with every repair.
- **Stainless Steel Construction.** Rated for 15,000 psi and 20,000 psi.

SPECIFICATIONS

ASSEMBLY PART NO.	INLET THREAD	OUTLET THREAD	CARTRIDGE PART NO.	MAXIMUM OPERATING PRESSURE (PSI)	ASSEMBLY WEIGHT	ASSEMBLY SIZE (LxWxH)
53315	1/2" NPTF	1/2" NPTF	50902	15,000	23 lbs	11 3/8" x 15" x 8"
53320	20K QD F	20K QD M	51869	20,000	23 lbs	11 3/8" x 15" x 8"


Jetstream®
P.O. Box 79228, Houston, TX 77279
(800) 231-8192 (713) 462-7000
Fax: (713) 462-5387

© 1998, Jetstream of Houston, Inc.

DCF DuraSafe™ CONTROL GUN

DCF-15 and DCF-20; Dump Style, Foot Operated
15,000 and 20,000 psi

JETSTREAM'S DuraSafe™ CONTROL GUNS
TOUGHER AND MORE DURABLE




P.O. Box 79228, Houston, TX 77279
(800) 231-8192 (713) 462-7000
Fax: (713) 462-5387

© 1998, Jetstream of Houston, Inc.

Jetstream®
PERFORMANCE ENGINEERED

DCFe DuraSafe™ CONTROL GUN

DCFe-15 and DCFe-20; Dump Style, Foot Operated, Electric
15,000 and 20,000 psi



U.S. Patent: 4,602,740
Other Patents Pending

FEATURES

The DCF DuraSafe™ Foot Control Gun is a high pressure, foot operated electric control gun used for a variety of waterblast tube cleaning applications.

The DuraSafe™ design is the latest product upgrade on the popular Jetstream C-Series cartridge style control gun line that has been in production since 1982. Built on the C-Series design that has become the industry standard, the DuraSafe™ line incorporates new, advanced features that insure increased safety, durability, versatility and simplicity.

- **Safest Gun In The Industry!** Custom safety cage and thick **blast wall** protect operator better than any foot control gun in the industry.
- **Protects End Fittings & Connections!** The DuraSafe™ foot gun incorporates new, built-in 'wings' which protect high pressure hose, end fittings and other connections from damage caused by falling objects.
- **Patented No-Stick Trigger Action!** Unlike other control guns that create constant wear on the valve body (causing triggers to stick), the DuraSafe™ foot gun eliminates this problem by placing all wear components in one simple cartridge. Every time you replace the cartridge you bring the gun back up to its new working condition - which means your gun will never stick due to valve body wear.
- **30 Second, In-The-Field Overhaul.** Simple cartridge design means fewer parts, less downtime and like-new gun working condition with every repair.
- **Stainless Steel Construction.** Rated for 15,000 psi and 20,000 psi.

SPECIFICATIONS

ASSEMBLY PART NO.	INLET THREAD	OUTLET THREAD	CARTRIDGE PART NO.	MAXIMUM OPERATING PRESSURE (PSI)	ASSEMBLY WEIGHT	ASSEMBLY SIZE (LxWxH)
53375	1/2" NPTF	1/2" NPTF	50902	15,000	23 lbs	11 3/8" x 15" x 8"
3380	20K QD F	20K QD M	51869	20,000	23 lbs	11 3/8" x 15" x 8"

Jetstream®
P.O. Box 79228, Houston, TX 77279
(800) 231-8192 (713) 462-7000
Fax: (713) 462-5387


© 1998, Jetstream of Houston, Inc.

DCFe DuraSafe™ CONTROL GUN

DCFe-15 and DCFe-20; Dump Style, Foot Operated, Electric
15,000 and 20,000 psi

JETSTREAM'S DuraSafe™ CONTROL GUNS

TOUGHER AND MORE DURABLE



P.O. Box 79228, Houston, TX 77279
(800) 231-8192 (713) 462-7000
Fax: (713) 462-5387

© 1998, Jetstream of Houston, Inc.


Jetstream®
PERFORMANCE ENGINEERED

DCF GUN PARTS / ACCESSORIES


DCF DuraSafe™ Series Control Guns; Standard, Electric
15,000 and 20,000 psi

DCF SERIES GUN ASSEMBLIES

Order replacement DuraSafe™ parts from Jetstream by specifying the control gun model and the generic part shown in these assembly breakdowns.




DCF-15
DCF-20



DCFe-15
DCFe-20

DCF SERIES ACCESSORIES



ITEM	JETSTREAM PART NO.	DESCRIPTION	
1	50135	Lance Strain Relief Whip, 1/8" x 1/2" NPT, 15,000 psi	Helps prevent flexlance kinking failures at foot gun. Extends flexlance service life.
	50138	Lance Strain Relief Whip, 1/4" x 1/2" NPT, 15,000 psi	
	52519	Lance Strain Relief whip, Male QD x 3/8" Lance, 20,000 psi	
2	51642	Dry Nozzle Shut Off Valve, 1/2" NPT, 15,000 psi	Stops all water flow to nozzle when foot gun dumping for better operator visibility and comfort.
	52250	Dry Nozzle shut Off Valve, 20K Connection, 20,000 psi	
3	50042	Anti-Recoil Tee, 3/4" NPT	Prevents foot gun from "walking" when pedal is released.

Jetstream®
P.O. Box 79228, Houston, TX 77279
(800) 231-8192 (713) 462-7000
Fax: (713) 462-5387

© 1998, Jetstream of Houston, Inc.

Jetstream®

PERFORMANCE ENGINEERED

Jetstream®

P.O. Box 79228, Houston, TX 77279
(800) 231-8192 (713) 462-7000
Fax: (713) 462-5387

© 1998, Jetstream of Houston, Inc.

Jetstream®

PERFORMANCE ENGINEERED

DCPSi DuraSafe™ CONTROL GUN

DCPSi-15 and DCPSi-20; Shut-In Style, Hand Held, Pistol Grip
15,000 and 20,000 psi



U.S. Patent: 5,423,348
Other Patents Pending

FEATURES

The DCPSi DuraSafe™ Control Gun is a high pressure, pistol grip control gun used to eliminate dump water at the operator and is used for a variety of waterblast surface cleaning applications where excess water spillage, cleanup and disposal are concerns.

The DuraSafe™ design is the latest product upgrade on the popular Jetstream C-Series cartridge style control gun line that has been in production since 1982. Built on the C-Series design that has become the industry standard, the DuraSafe™ line incorporates new, advanced features that insure increased safety, durability, versatility and simplicity.

- **Safest Gun In The Industry!** 48" front barrel and 20" rear barrel keep high pressure water and high pressure hose away from operator's body at all times.
- **Lightest C-Series Gun Ever!** The DuraSafe™ weighs only 12 pounds — resulting in less operator fatigue and greater control.
- **Lightest Trigger Force In The Industry** — trigger force never increases (stays constant throughout the life of the gun).
- **Fully Adjustable, Wide Body Pad** allows for maximum operator comfort in any position (shoulder, hip, chest, etc.) and fully adjustable hand grip for greater control and ease of use.
- **30 Second, In-The-Field Overhaul.** Simple cartridge design means fewer parts, less downtime and like-new gun working condition with every repair.
- **Stainless Steel Construction.** Rated for 15,000 psi and 20,000 psi.

SPECIFICATIONS

ASSEMBLY PART NO.	INLET THREAD	OUTLET THREAD	CARTRIDGE PART NO.	MAXIMUM OPERATING PRESSURE (PSI)	ASSEMBLY WEIGHT	ASSEMBLY SIZE (LxWxH)
52655	1/2" NPTM	3/8" NPTM	52635	15,000	12 lbs	70" x 1-1/2" x 10"
52665	1.00"-16 UN	9/16" MP AE	52640	20,000	12 lbs	70" x 1-1/2" x 10"

Jetstream®
P.O. Box 79228, Houston, TX 77279
(800) 231-8192 (713) 462-7000
Fax: (713) 462-5387


© 1998, Jetstream of Houston, Inc.

DCPSi DuraSafe™ CONTROL GUN

DCPSi-15 and DCPSi-20; Shut-In Style, Hand Held, Pistol Grip
15,000 and 20,000 psi

JETSTREAM'S DuraSafe™ CONTROL GUNS

TOUGHER AND MORE DURABLE




DURASAFE'S SAFETY DESIGN KEEPS THE DANGEROUS HIGH PRESSURE HOSE AWAY FROM THE OPERATOR'S BODY AT ALL TIMES!

SAFETY NOTE

DO NOT allow your operators to use the high pressure hose as a shoulder stock when operating a waterblast control gun. This dangerous practice can cause serious or fatal operator injury if the desired hose bursts while up against his chest or abdomen. The ergonomically designed DuraSafe™ body pad allows the operator safety, fatigue-free and productive use of the gun without risk of high pressure hose injuries.





DuraSafe's rear barrel keeps the hose safely **behind** the operator at all times!



BODY PAD ON CHEST



BODY PAD ON HIP



BODY PAD ON SHOULDER


Jetstream®
P.O. Box 79228, Houston, TX 77279
(800) 231-8192 (713) 462-7000
Fax: (713) 462-5387

© 1998, Jetstream of Houston, Inc.

Jetstream®
PERFORMANCE ENGINEERED

DCFSi DuraSafe™ CONTROL GUN

DCFSi-15 and DCFSi-20; Shut-In Style, Foot Operated
15,000 and 20,000 psi



U.S. Patent: 5,423,348
Other Patents Pending

FEATURES

The DCFSi DuraSafe™ Foot Control Gun is a high pressure, foot operated shut-in control gun used to eliminate dump water at the operator and is used for a variety of waterblast tube cleaning applications where excess water spillage, cleanup and disposal are concerns.

The DuraSafe™ design is the latest product upgrade on the popular Jetstream C-Series cartridge style control gun line that has been in production since 1982. Built on the C-Series design that has become the industry standard, the DuraSafe™ line incorporates new, advanced features that insure increased safety, durability, versatility and simplicity.

- **Safest Gun In The Industry!** Custom safety cage and thick **blast wall** protect operator better than any foot control gun in the industry.
- **Protects End Fittings & Connections!** The DuraSafe™ foot gun incorporates new, built-in 'wings' which protect high pressure hose, end fittings and other connections from damage caused by falling objects.
- **Patented No-Stick Trigger Action!** Unlike other control guns that create constant wear on the valve body (causing triggers to stick), the DuraSafe™ foot gun eliminates this problem by placing all wear components in one simple cartridge. Every time you replace the cartridge you bring the gun back up to its new working condition - which means your gun will never stick due to valve body wear.
- **30 Second, In-The-Field Overhaul.** Simple cartridge design means fewer parts, less downtime and like-new gun working condition with every repair.
- **Stainless Steel Construction.** Rated for 15,000 psi and 20,000 psi.

SPECIFICATIONS

ASSEMBLY PART NO.	INLET THREAD	OUTLET THREAD	CARTRIDGE PART NO.	MAXIMUM OPERATING PRESSURE (PSI)	ASSEMBLY WEIGHT	ASSEMBLY SIZE (LxWxH)
52660	1/2" NPTF	1/2" NPTF	52635	15,000	23 lbs	11 3/8" x 15" x 8"
52670	20K QD F	20K QD M	52640	20,000	23 lbs	11 3/8" x 15" x 8"


Jetstream®
P.O. Box 79228, Houston, TX 77279
(800) 231-8192 (713) 462-7000
Fax: (713) 462-5387

© 1998, Jetstream of Houston, Inc.

DCFSi DuraSafe™ CONTROL GUN

DCFSi-15 and DCFSi-20; Shut-In Style, Foot Operated
15,000 and 20,000 psi

JETSTREAM'S DuraSafe™ CONTROL GUNS
TOUGHER AND MORE DURABLE



P.O. Box 79228, Houston, TX 77279
(800) 231-8192 (713) 462-7000
Fax: (713) 462-5387

© 1998, Jetstream of Houston, Inc.